

Travis Morpew, CEO
 G-BIKE Electric Bikes and
 Commercial Delivery Vehicles
 2502 Main St.
 Santa Monica, CA 90405
 tel (310) 473-9732
 fax (323) 315-5237
 email travis@shopgbike.com
 web shopgbike.com
 skype travismorpew

Technical Specifications

Period of Validity: June,30

Payment Terms: Competitive Commercial Leasing
Lead time: 65 days from day of Order to Deli

Model	GBC-SR4	GBC-LR4	With CE Certificate for EU
System	48V/4KW Sepex	48V/4KW AC system	
Unit Price (FOB Los Angeles) (Based on FCL)	us\$11,224.00	us\$11,968.00	
Key Components			
Battery	8xT105(185Ah@5hr rate)	8xT105(185Ah@5hr rate)	
Motor	3.8KW Jensen motor	4KW Jensen motor	
Controller	Curtis 1268 (400A@2minutes)	Curtis 1236 (350A@2minutes)	
Performance			

Passenger capacity	2	2
Range (loaded) based on flat road at a speed of 20mph (Miles) *	43	56
Max.speed @12.49:1 gear ratio (20	25
Max.speed @10.25:1 gear ratio (25	--
Minimum turning radius (ft.)	12	12
Max. climbing ability (loaded) @ 12.49:1 gear ratio	20%	20%
Max. climbing ability (loaded) @ 10.25:1 gear ratio	15%	--
Max. movement after brake at speed of 20km/h	≤12ft.	≤12ft
Max. loading weight	200lbs	200lbs
Net weight	N/A	N/A

Above photo is just for reference!
The final product should subject to the Configuration chose

* Range will vary depending on temperature, grade, payload and driving style

Dimensions			
Overall dimensions (ft./inches)	10'x4' 7"x5' 11"		
Rear cargo bed dimension(ft./inch)	3' 4"x3' 6"x3' 2"		
Min. ground clearance (ft./inches)	5"		
Wheelbase (ft./inches)	6' 8"		
Front wheel tread (ft./inches)	3' 9"		
Rear wheel tread (ft./inches)	3' 9"		
Detailed Configurations: ("S" star			
Body and Frame			
Frame	Welded steel framework with sand-blasting + paint treatment	S	
Body	Fiberglass	S	
Roof	Fiberglass + steel frame	S	
Windshield	Laminated Glass	S	
3point seat belt		S	
Large Seats:		S	
1) backrest and cushion	Sponge + artificial leather	S	
2) armrest	Soft expanded plastic	S	
Floor	Plastic	S	
Inner rear view mirror		O	plus \$27.00
Side rear view mirror	Two pieces per unit/left and right sides	S	
Rain cover	PVC	O	plus \$109.00

Electric system			
Lighting system and horn	Headlights, front/rear turn signals, brake lights, DC-DC Converter (converting from 48v to 12v), horn	S	
Dashboard	forward/reverse switch, headlight indicator, turn signal indicator, ignition key, voltameter, ammeter, emergency switch, turn signal switch, headlight switch, windshield wiper switch, horn button, storage compartment	S	
Audio System	radio + mp3 receiver	S	
	cd player to replace mp	O	plus \$225.00
Microphone	wired	O	plus \$66.00
Speaker	2 piece	S	
Reversing alarm		S	
Switch assembly	Light switch, horn switc	S	
Wiper	12v	S	
Solar panel	48v / 125W	O	plus \$823.00
Charger	input 110v-240v~50Hz-60Hz, output 48V, 25A	S	
	On-board charger, input 85V-265V~45-64Hz, output 48V / 18A	O	plus \$145.00
Steering and Suspension			
Steering system	Single-stage rack and pinion steering system, automatic rock compensating function	S	
Brake system	Four wheel hydraulic drum brake + foot parking brake	S	
Accelerator	Stepless speed change (automatic)	S	
Front suspension	Independent suspension, helix spring + shock absorber	S	
Rear suspension	rear plate spring + shoc	S	
Driving mode	Rear axle two stage deceleration, motor direct driving	S	
Rear axle	Integrated, Gear ratio 12.49:1	S	
	Integrated, Gear ratio 10.25:1	O	no extra cost
Wheel & Tire	20.5 x 8.0-10 tire, 6J-10 Steel Wheel, wheel cap		
	10x 6 Aluminum Wheels	O	plus \$195.00
Standard Body Color	Custom colors available, Company Logos or Custom Wraps available from \$129 for logos to \$999- custom complete vehicle branded wraps		
Standard Seat Color	Tan or White seat		

Container loading qty	Assembled
Qty/20'	1unit
Qty/40'	3units
Qty/40'HQ	3units